Notice of Allowability	Application No.	Applicant(s)	
	10/695,123	DOBMEIER ET AL.	
	Examiner	Art Unit	
	Harry B. Tanner	3744	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.			
1. X This communication is responsive to the amendment filed on 5/11/05.			
2.  The allowed claim(s) is/are <u>1,6-12 and 19-24.</u>			
3. The drawings filed on 11 May 2005 are accepted by the Examiner.			
<ul> <li>4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some* c) None of the: <ol> <li>Certified copies of the priority documents have been received.</li> <li>Certified copies of the priority documents have been received in Application No.</li> <li>Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).</li> </ol> </li> <li>* Certified copies not received: <ol> <li>Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.</li> </ol> </li> <li>THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.</li> </ul>			
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.			
<ul> <li>6. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted. <ul> <li>(a) including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached</li> <li>1) hereto or 2) to Paper No./Mail Date</li> <li>(b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date</li> <li>Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).</li> </ul> </li> <li>7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.</li> </ul>			
Attachment(s)  1. ☐ Notice of References Cited (PTO-892)  2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)  3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 5/13/05  4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	5. Notice of Informal Pa 6. Interview Summary Paper No./Mail Dat 8), 7. Examiner's Amendm 8. Examiner's Stateme 9. Other	(PTO-413), e nent/Comment	

The following is an examiner's statement of reasons for allowance: the prior art does not show nor make obvious a system and method for monitoring refrigerant charge in which when the fully open position of the expansion valve is detected, one or more other system parameters are detected to determine if the valve is in the fully open position for a reason other than low refrigerant charge.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Harry B. Tanner whose telephone number is (571) 272-4813. The examiner can normally be reached 8:30 am to 5:00 pm Monday through Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Cheryl Tyler, can be reached on (571) 272-4834. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://portal.uspto.gov/external/portal/pair.

Application/Control Number: 10/695,123

Art Unit: 3744

Should you have questions on access to the Private PAIR system, contact the

Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Harry B. Tanner Primary Examiner Art Unit 3744 Page 3